

Central Vehicle Agency Semi-Annual Safety Inspection

Last revised: April 2017 Last reviewed: April 2017 Next review: July 2018

Commercial Services Division

This form should be used for documenting the semi-annual safety inspection of a Central Vehicle Agency

-

(CVA) vehicle.

Date (MM/DD/YY)							
Unit Information							
Vendor name Vehicle plate			Vendo	or addi	ress		
			CVA U	nit nu	mber	Invoice number Pending Safety Recalls:*	
CVA authorization nu		Kilom	etres				
Road Test (Hwy. & C Test	City)	ОК	Х	С	Recommendation		
Engine Performance					Recommendation		
-							
Transmission Operation							
Clutch Operation		<u> </u>					
Four Wheel Driver O							
Steering and Suspen	sion						
Brake Operation							
Park Brake Operation							
Inst. Panel/Switches/Radio							
Heater and A/C Operation							
Noises/Vibrations							
Road Test (Hwy. & C	City)	0.11					
Test LF Lining	mm/32"	ОК	X	C	Recommendation		
RF Lining	mm/32"						
-							
LR Lining	mm/32"						
RR Lining	mm/32"						
Rotors/Drums							
Master Cylinder							
Calipers/Hardware							
Brake Booster/Hydro Boost							
Brake Booster/Hydro Boost							
Brake Hoses/Lines							
Brake Fluid Leaks							

Engine Compartment					
Test	ОК	Х	С	Recommendation	
Engine Oil***					
Fluid Levels Full					
Battery/Terminals/Cables					
Belts/Terminals/Cables					
Belts/Tensioners/Idlers					
Coolant and Vacuum Hoses					 _
Coolant/Oil/Fluid Leaks					
Intake/Exh. Manifold Leaks					
Undercarriage				-	
Test Engine/Trans./T. Case Leaks	ОК	X	C L	Recommendation	
Muffle and Exhaust System					
Drive Shafts & U-joints					
Engine and Trans. Mounts					
Body/Box Mounts					
Fuel/Brake/ Evap. Lines					
Differential Leaks					
Other					
Driver Safety Test	ОК	Х	С	Recommendation	-
Air Bag Light Self-check				Recommendation	
Brake Warning Lights					
Seat Belt Operation (all belts)					
Seat Condition/Adjustment					
Horn					
Visibility		_			
Test	ОК	Х	С	Recommendation	
Lights (interior and exterior)					
Wipers/Washers					
Windshield Condition					
Front/Rear Defrost					
Mirrors					

Tires	_				
Test		ОК	X	С	Recommendation
LF Tread Depth	mm/32"				
RF Tread Depth	mm/32"				
LR Tread Depth	mm/32"				
RR Tread Depth	mm/32"				
Inside Duals /32"R	/32"L				
Pressure RF:	_F:	LR:			RR: Inside Dual, L: R: Spare
Jack/Wrench/Handles					
Tire Winch Operation					
Steering and Suspension		ОК	Х	С	Recommendation
Test Wheel Bearings					Recommendation
Ball Joints (<i>measure if failir</i>	ng)				
Ball Joints Measurement	LU:	LL	.:		RU: RR:
Tire Rods					
Pitman/Idler Arms					
Drag/Centre Link					
Steering Gear/Rack and Pinion					
Struts and Shocks					
Coil and Leaf Springs					
Pwr. Steering Pump/Hoses					
Stabilizer Links and Bushing	gs				
Body Damage					
Test Body Panels		ОК	X	C	Recommendation
Truck Box and Tailgate					
Bumpers					
		<u> </u>			
Undercarriage Damage					
Mudflaps/Accessories					
Signatures					services rendered. The <u>invoice</u> must also be signed by the vehicle operator.

Vendor Signature

Driver Name (Please print)

Driver Signature

Driver Phone Number

Repairs must be estimated, and if more than \$300, you must call CVA at 1-877-787-6902 to obtain authorization before repair.

Tire and windshield replacement must have prior authorization regardless of the dollar value.

This original form must be submitted to CVA attached to the repair invoice. A photocopy can be given to client/driver if requested.

Signature verifies that all applicable inspection items have been checked and driver verifies knowledge of defects.

Submit pictures of any oil leaks if replacement is recommended.

* Please check with the manufacturer for any outstanding safety recalls.

** Ask the driver to take the vehicle to the appropriate dealership if there are any pending safety recalls.

***Change oil if last oil change was more than 5,000 kms or five (5) months ago (recommended oil change interval is 6,000 kms or six (6) months).

Mail to: Central Vehicle Agency 500 McLeod Street Regina, SK S4N 4Y1